Amendments to the Claims are as follows:

preliminary Claims 1-6   Cancelled

-sphere
-round

7. (New) A liquid crystal display comprising:

a pair of substrates which oppose each other with a liquid crystal

layer therebetween; *Claim 1, lines 13-14 of 6,641,015 B2*

a light source provided on an exterior of one of the substrates;

and *Claim 1, lines 16-17 of 6,641,015 B2*

[a transflective layer comprising]at least an organic film and a *Claim 1,*

metallic reflection film disposed on an inner face of one of the substrates, *ls 1-3*

wherein a plurality of concave portions are contiguously formed *Claim 1*

on a surface of the organic film, an inner surface of each concave portion *ls 4-7*

constituting a part of a spherical surface,

wherein a depth of the concave portions is in the range of 0.1 to *Claim 1*

3 μm, an inclination angle of the inner surface of each concave portion is in *ls 9-13*

the range of -30 degrees to +30 degrees, and a pitch of adjoining concave

portions is in the range of 5 to 50 μm.

akin to putting preamble into claim body

8. (New) A liquid crystal display comprising:

a pair of substrates which oppose each other with a liquid crystal

layer therebetween;

a light source provided on an exterior of one of the substrates;

and

[a transflector comprising]at least a resin base and a metallic

reflection film disposed on an outer face of one of the substrates;

wherein a plurality of concave portions are contiguously formed

on a surface of the resin base, an inner surface of each concave portion

constituting a part of a spherical surface;

wherein a depth of the concave portions is in the range of 0.1 to

3 μm, an inclination angle of the inner surface of each concave portion is in

the range of -30 degrees to +30 degrees, and a pitch of adjoining concave

portions is in the range of 5 to 50 μm.

*statutory nb.
-non-statutory
double patenting*

9

9. (New) A liquid crystal display according to Claim 8, wherein the metallic reflection film has a thickness of 80 to 500 Å.

$0.5 \times 10^{-9} m$ to 50×10^{-6}

80×10^{-10} to 500×10^{-10}

WHAT IS CLAIMED IS:

1. A liquid crystal display comprising:

a pair of substrates which oppose each other with a liquid crystal layer therebetween;

a light source provided on the exterior of one of the substrates; and

at least an organic film, a metallic reflection film, an overcoat film, an electrode layer, and an alignment film formed on the inner face of one of the substrates,

wherein many concaves are contiguously formed on a surface of the organic film, the inner surface of each concave constituting a part of a spherical surface, and the metallic reflection film has a thickness of 80 to 500 Å.

2. A liquid crystal display according to Claim 1, wherein the metallic reflection film has a thickness of 80 to 100 Å.

3. A liquid crystal display according to Claim 1, wherein the depth of the concaves is in the range of 0.1 to 3 μm, the inclination angle of the inner surface of each concave is in the range of -30 degrees to +30 degrees, and the pitch of the adjoining concaves is in the range of 5 to 50 μm.

4. A transflector comprising:

a base having many concaves contiguously formed on a
surface thereof, the inner surface of each concave
constituting a part of a spherical surface; and

a metallic reflection film formed on the surface of the
base,

wherein the depth of the concaves is in the range of
0.1 to 3 μm, the inclination angle of the inner surface of
each concave is in the range of -30 degrees to +30 degrees,
the pitch of the adjoining concaves is in the range of 5 to
50 μm, and the reflection film has a thickness of 80 to 500
Å.

5.   A transflector according to Claim 4, wherein the
reflection film has a thickness of 80 to 100 Å.

6.   A liquid crystal display comprising a transflector
according to Claim 4.